



LED CORN BULB

Φ 140mm 360° 80W-120W K4-II SERIES



80W

100W

120W

FEATURES




Light effect	150LM/W±10%
Waterproof	IP65
Applied to	Complete Enclosed fixture
Surge Voltage	6000V
Warranty	5Years
Replace	HID/HPS/MHL/CFL retrofit lamps
Certification	




Long Lifespan of 10years



Big Saving(88%) on Electricity Costs



Reliability Test










Usable in Enclosed



Omni Wide Angle




SPECIFICATION


Model No	JP360D-K4-II-80W	JP360D-K4-II-100W	JP360D-K4-II-120W
Input Voltage	100-277VAC 50-60Hz		
LED Qty	572 pcs	676 pcs	832 pcs
Rated Power	80 W	100 W	120 W
Luminous Flux	12000 lm±10%	15000 lm±10%	18000 lm±10%
Dimension	Φ140*230	Φ140*245	Φ140*265
Color Temperature	2700-6500K		
CRI	Ra>80		
Power Factor	>0.9		
Working Temperature	-30°C ~ 55°C		
Storage Temperature	-40°C ~ 85°C		
Beam Angle	360°		
IP Rating	IP65		
Lifespan	50,000 hrs		
Certificates and qualifications	      		
Base type	E39, E40		
Lamp Head Color	White or gray, customized color		




PHOTOMETRY



80W




100W




120W


DIMENSION



80W




100W



120W



PACKING

Model No	JP360D-K4-II-80W	JP360D-K4-II-100W	JP360D-K4-II-120W
Net weight	1.46kg	1.61kg	1.7kg
Inner box size	160*160*280	160*160*295	160*160*315
G.W	1.56kg	1.72kg	1.83kg
Carton size	432*432*380	432*432*405	432*432*460
G.W	15.1kg	16.3kg	17.4kg
Packing Qty.	6pcs/carton		
Packing way			

JOYTECH PRODUCTS CO.,LTD

1F, No.16, Lane 27, Sec.3 Chung-king South Rd., Taipei 100, Taiwan, R.O.C

Tel : 886-2-28582899 Fax : 886-2-28416778

E-Mail : sales@joytech-jpc.com.tw Website : www.joytech-jpc.com.tw