



Joytech Products Co., Ltd.



K12-B Series



# K12-B Series

## 360° LED Corn Bulb

Power Consumption	30W/40W/50W
LEDs Type	Epistar 2835/Samsung 2835
Lumen per Watt	150 Lm/w±10%
Driver	Internal Driver
Base	E26, E27, E39, E40
Input Voltage	AC100-277V, 50-60Hz
Beam Angle	360°
CCT	2700K-6500K
CRI	>80
Power Factor	>0.9
IP Grade	IP65
Surge Protection	6KV
Life Span	50,000 Hours
Warranty	5 Years
Certificates	CE, cUL, DLC, LM79, LM80, ROHS



50,000 hours  
lamp life



Up to 80%  
direct energy  
saving



5 Years  
warranty



Samsung/Epistar



Polysyn



6KV Surge Protection



IP65

Model No.	Watt(W)	LED Q'ty	Lumen(Lm)	Dimensions(mm)	Unit N.W(Kg)
JPK12B-360D-A-30W	30	198	4500±10%	Φ132*170	0.88
JPK12B-360D-A-40W	40	270	6000±10%	Φ132*170	0.89
<b>JPK12B-360D-A-50W</b>	50	324	7500±10%	Φ132*170	0.90



Expected life  
over 50,000 HRS



Eco-friendly



IP65  
Water proof



6000V  
surge  
protection




Selection of  
color ranges

## Applications




## Dimension



## Packing info

Model No.	Pack Q'ty	Box Size	G.W./ Box	Carton Size	G.W./ CTN
JPK12B-360D-B-30W	12 pcs/ctn	156*156*219mm	1.075kg	480*322*458mm	13.4kg
JPK12B-360D-B-40W	12 pcs/ctn	156*156*219mm	1.085kg	480*322*458mm	13.5kg
JPK12B-360D-B-50W	12 pcs/ctn	156*156*219mm	1.100kg	480*322*458mm	13.7kg



### JOYTECH PRODUCTS CO.,LTD

1F, No.15, Lane 27, Sec.3 Chung-king South Rd., Taipei 100, Taiwan, R.O.C

Tel : 886-2-23582899 Fax : 886-2-23415778

E-Mail : sales@joytech-jpc.com.tw Website : www.joytech-jpc.com.tw